

STAINLESS STEEL SPRAY BALL

PRECISION STATIC SPRAY BALL



APPLICATION

For tanks and vessels from 1 – 5 metre diameter

FEATURES

- Popular spray ball design
- High flow rates
- Corrosion resisting stainless steel
- Threaded or clip-on connection
- Different sizes available

DESCRIPTION

Our stainless steel static spray balls offer a low cost solution for the cleaning and rinsing of tanks and vessels of 1 – 5 Metre diameter.

These spray balls are a one piece design with multiple orifices and are available with either 180 degree upwards or downwards and 360 degree. The spray is produced through every orifice resulting in a low impact rinse for the tank.

ORDERING EXAMPLE

Stainless Steel Spray Ball 1/2" BSP SVSTW295

	Part Number	Coverage	To Fit Pipe / Size	Flowrate in Lpm at Bar				Rinsing Diameter	Orifices sizes mm	Dimension A mm
				0.5	1.0	2.0	3.0			
Clip on Series	SVSTW 290		22	27	38	54	66	5.9	1.6	40
			28	124	175	247	303	3.2	2.5	65
			38	136	193	273	334	4.9	2.5	65
			60	105	148	209	256	1.7	2.0	120
	SVSTW 291		22	27	38	54	66	5.5	1.6	40
			26	120	170	240	294	3.0	2.5	65
			38	95	135	191	234	2.4	2.5	65
			60	120	170	240	294	2.3	2.0	120
	SVSTW 292		22	44	62	88	107	3.8	1.6	40
			28	185	262	371	454	1.8	2.5	65
			38	216	305	431	528	3.0	2.5	65
			60	224	317	448	549	2.0	2.0	120
Female Threaded	SVSTW 293		1/4" BSP	16	23	33	40	2.2	1.3	28
			3/8" BSP	37	52	74	90	7.0	1.3	40
			1/2" BSP	37	52	74	90	3.2	1.6	50
			3/4" BSP	108	153	216	265	2.5	2.5	65
			1 1/4" BSP	187	265	375	459	3.4	2.5	90
	SVSTW 294		1/4" BSP	14	20	28	35	1.6	1.3	28
			3/8" BSP	35	50	71	87	6.4	1.3	40
			1/2" BSP	35	50	71	87	3.0	1.6	50
			3/4" BSP	103	145	205	251	2.2	2.5	65
			1 1/4" BSP	150	212	300	367	2.2	2.5	90
	SVSTW 295		1/4" BSP	21	30	42	52	1.0	1.3	28
			3/8" BSP	60	85	120	147	4.7	1.3	40
1/2" BSP			64	90	127	156	2.4	1.6	50	
3/4" BSP			156	220	311	381	1.3	2.5	65	
1 1/4" BSP			351	496	701	859	3.1	2.5	90	